

[Get a Quote](#)

Overview

The Cisco® 40GBASE QSFP (Quad Small Form-Factor Pluggable) portfolio offers customers a wide variety of high-density and low-power 40 Gigabit Ethernet connectivity options for data center, high-performance computing 00networks, enterprise core and distribution layers, and service provider applications.

Quick Specification

Table 1 shows the Quick Specs.

Product Code	QSFP-H40G-AOC1M
Description	Cisco 40GBase-AOC QSFP direct-attach Active Optical Cable, 1-meter
Dimensions	13.5 x 18.4 x 72.4 mm
Wavelength (nm)	\
Cable Type	Active optical cable assembly
Core Size (microns)	\
Modal Bandwidth (MHz-km)	\
Cable Distance	1m
Power Consumption (W)	1.5
Pull Tab Color	Beige

Figure 1 shows the appearance of QSFP-H40G-AOC1M.



Product Details

Features and benefits of Cisco QSFP 40G modules:

- Hot-swappable input/output device that plugs into a 40 Gigabit Ethernet Cisco QSFP port
- Interoperable with other IEEE-compliant 40GBASE interfaces where applicable
- Certified and tested on Cisco QSFP 40G ports for superior performance, quality, and reliability
- High-speed electrical interface compliant to the IEEE 802.3ba standard
- QSFP Form factor, 2-wire I2C communication interface and other low-speed electrical interface compliant to SFF 8436 and QSFP Multisource Agreement (MSA)

Compare to Similar Items

Table 2 shows the comparison.

SKU	Description
QSFP-H40G-AOC1M	Cisco 40GBase-AOC QSFP direct-attach Active Optical Cable, 1-meter
QSFP-H40G-AOC2M	Cisco 40GBase-AOC QSFP direct-attach Active Optical Cable, 2-meter
QSFP-H40G-AOC3M	Cisco 40GBase-AOC QSFP direct-attach Active Optical Cable, 3-meter
QSFP-H40G-AOC5M	Cisco 40GBase-AOC QSFP direct-attach Active Optical Cable, 5-meter
QSFP-H40G-AOC7M	Cisco 40GBase-AOC QSFP direct-attach Active Optical Cable, 7-meter
QSFP-H40G-AOC10M	Cisco 40GBase-AOC QSFP direct-attach Active Optical Cable, 10-meter
QSFP-H40G-AOC15M	Cisco 40GBase-AOC QSFP direct-attach Active Optical Cable, 15-meter
QSFP-H40G-AOC20M	Cisco 40GBase-AOC QSFP direct-attach Active Optical Cable, 20-meter
QSFP-H40G-AOC25M	Cisco 40GBase-AOC QSFP direct-attach Active Optical Cable, 25-meter
QSFP-H40G-AOC30M	Cisco 40GBase-AOC QSFP direct-attach Active Optical Cable, 30-meter

Get More Information

Do you have any question about the QSFP-H40G-AOC1M?

Contact us now via info@hi-network.com.

Specification

QSFP-H40G-AOC1M Specification

QSFP-H40G-AOC1M Datasheet



Description	Cisco 40GBase-AOC QSFP direct-attach Active Optical Cable, 1-meter
Dimensions	13.5 x 18.4 x 72.4 mm
QSFP Port cabling specifications	
Wavelength (nm)	\
Cable Type	Active optical cable assembly
Core Size (microns)	\
Modal Bandwidth (MHz-km)	\
Cable Distance	1m
Power Consumption (W)	1.5
Pull Tab Color	Beige
Environmental conditions	
Commercial temperature	0 to 70°C (32 to 158°F)
Storage temperature	-40 to 85°C (-40 to 185°F)
Regulatory and standards compliance	
Standards	<ul style="list-style-type: none">● GR-20-CORE: Generic Requirements for Optical Fiber and Optical Fiber Cable● GR-326-CORE: Generic Requirements for Single-Mode Optical Connectors and Jumper Assemblies● GR-1435-CORE: Generic Requirements for Multifiber Optical Connectors● IEEE 802.3ba (-SR4, -LR4)● IEEE 802.3ae (-CSR4)● QSFP+ MSA SFF-8436● SFP+ MSA SFF-8431 and -8461● RoHS 6
Safety	<ul style="list-style-type: none">● Cable jacket of QSFP copper modules is UL E116441 Compliant● QSFP copper cables are ELV Compliant

Want to Buy

Get a Quote



[Learn More](#) about Hi-Network



[Search](#) our Resource Library



[Follow](#) us on LinkedIn



Contact for [Sales or Support](#)

Contact HI-NETWORK.COM For Global Fast Shipping

HongKong Office Tel: +00852-66181601

HangZhou Office Tel: +0086-571-86729517

Email: info@hi-network.com

Skype: echo.hinetwork

WhatsApp Business: +8618057156223