

[Get a Quote](#)

Overview

Cisco OC-3/STM-1 1310-nm Wavelength Short-reach 2KM MMF Original Transceiver Module. Cisco Transceiver Module- SFP - 1310 nm - OC-3/ STM-1 SFP-OC3-MM Standard Interface Converter (SFP) for packet-over-SONET/SDH optical networking ATM applications are hot-swappable optical interfaces that plug into a variety of ports on Cisco router interfaces.

Quick Specification

Product Name	SFP-OC3-MM
Device Type	Transceiver module
Form Factor	Plug-in module
Interface (Bus) Type	SFP (mini-GBIC)
Connectivity Technology	Wired
Line Rate	OC-3/STM-1
Wavelength	1310-nm
Data Transfer Rate	155.52Mbps
Max Transfer Distance	2 km
Interfaces	1 x network - OC-3/STM-1 - LC/PC multi-mode x 2
Compatible Slots	1 x SFP (mini-GBIC)

Product Details:

The Front Panel:





Get more information:

Do you have any question about the SFP-OC3-MM?

Contact us now via e-mail: info@hi-network.com

Specific Data Sheet:

Model	Cisco SFP-OC3-MM
Device Type	SFP (mini-GBIC) transceiver module
Form Factor	Plug-in module
Connectivity Technology	Wired
Line Rate	OC-3/STM-1
Max Transfer Distance	1.2 miles
Interfaces	1 x OC-3/STM-1 - LC multi-mode x 2
Compatible Slots	1 x SFP (mini-GBIC)
Width	0.6 in
Depth	2.2 in
Height	0.4 in
Designed For	P/N: CISCO7304, CISCO7304-CH, CISCO7603, CISCO7603=, CISCO7603-CHASS, CISCO7604, CISCO7606, CISCO7606=, CISCO7606-CHASSIS-BUN, CISCO7609, CISCO7609(BUN), CISCO7609=



Want to Buy

Get a Quote



[Learn More](#) about Hi-Network



[Search](#) our Resource Library



[Follow](#) us on LinkedIn



Contact for [Sales or Support](#)

Contact HI-NETWORK.COM For Global Fast Shipping

HongKong Office Tel: +00852-66181601

HangZhou Office Tel: +0086-571-86729517

Email: info@hi-network.com

Skype: [echo.hinetwork](https://www.skype.com/people/echo.hinetwork)

WhatsApp Business: +8618057156223