

Get a Quote

Overview

H901MPSA is a main control card of Huawei SmartAX MA5800-X2 NG OLT; it is the core of system control and service switching and aggregation. MAX access 4096 subscribers, and supports 32768 ARP table.

Quick Specification

Model	H901MPSA
Bandwidth per slot	40Gbit/s (load sharing mode)
MAC address table	262143
Access ONT	4096
Multicast user	4096
IPv4 routing table	65536
IPv6 routing table	16384

Product Details:

The Front Panel:



Get more information:

Do you have any question about H901MPSA?

Contact us now via e-mail: info@hi-network.com



Specific Data Sheet:

Model	H901MPSA
Bandwidth per slot	40Gbit/s (load sharing mode)
MAC address table	262143
Access ONT	4096
Multicast user	4096
IPv4 routing table	65536
IPv6 routing table	16384
Service port	32768
ND table	16384
ARP table	32768
Maximum Frame Size	2052 bytes 9216 bytes (jumbo frame enabled)
Environment	
Operating Temperature	-40°C to +65°C
Energy consumption	Static: 30W Maximum: 43W
Mechanical Specification	
Dimensions (mm)	35.28 (W)x 258.15 (D) x 130.36 (H)
Weight (kg)	0.99



Get a Quote



Want to Buy

Get a Quote



[Learn More](#) about Hi-Network



[Search](#) our Resource Library



[Follow](#) us on LinkedIn



Contact for [Sales or Support](#)

Contact HI-NETWORK.COM For Global Fast Shipping

HongKong Office Tel: +00852-66181601

HangZhou Office Tel: +0086-571-86729517

Email: info@hi-network.com

Skype: [echo.hinetwork](https://www.skype.com/addtocontactlist/echo.hinetwork)

WhatsApp Business: +8618057156223

