Get a Quote



Overview

The H901PISB board is an AC power board, consisting of an AC power unit and a monitoring unit. The board supplies power to the device and supports the lead-acid battery for power backup. The AC power unit provides overcurrent protection, output overvoltage protection, short circuit protection, and over-temperature protection. The monitoring unit provides comprehensive management for the power system and storage battery, and also provides certain environment monitoring functions.

Product Details:

The Front Panel:



Product Details:

The H901PISB board supports the following features and specifications:

- · 1 channel of 220 V AC or 110 V AC input
- · Rated output power: 600 W
- · 1 battery for power backup
- · Input overcurrent protection
- $\cdot \ Input \ power \ monitoring$
- · Temperature query and high-temperature alarm



Get a Quote



Accessories For H901PISB:

Supported Platforms:

Model	Description
EA5800-X17	Huawei SmartAX EA5800-X17, large-capacity, ETSI, supports 17 service slots
EA5800-X15	Huawei SmartAX EA5800-X15, large-capacity, IEC, supports 15 service slots
EA5800-X7	Huawei SmartAX EA5800-X7, medium-capacity, supports 7 service slots
EA5800-X2	Huawei SmartAX EA5800-X2, small-capacity, supports 2 service slots

Get more information:

Do you have any question about H901PISB?

Contact us now via e-mail: info@hi-network.com

Specific Data Sheet:

Huawei SmartAX EA5800 Power Transfer Board

Want to Buy

Get a Quote



Learn More about Hi-Network



Search our Resource Library



 $\underline{Follow} \ us \ on \ Linked In$



Contact for Sales or Support

Contact HI-NETWORK.COM For Global Fast Shipping



H901PISB Datasheet

Get a Quote

HongKong Office Tel: +00852-66181601 HangZhou Office Tel: +0086-571-86729517

Email: info@hi-network.com Skype: echo.hinetwork

WhatsApp Business: +8618057156223

