

[Get a Quote](#)

## Overview


16-port 100M/1GBASE-X, 12-port 100M/1G/10GBASE-X, and 24-port 10/100/1000BASE-T interface card (SFP, SFP+, RJ45)

## Quick Specification

Table 1 shows the quick specification.


Model	LSG7X52BX1E0
Part Number	03050DMB
Description	16-port 100M/1GBASE-X, 12-port 100M/1G/10GBASE-X, and 24-port 10/100/1000BASE-T interface card (SFP, SFP+, RJ45)
Dimensions without packaging (H x W x D) [mm(in.)]	45.2 mm x 433.0 mm x 292.9 mm (1.78 in. x 17.05 in. x 11.53 in.)
Dimensions with packaging (H x W x D) [mm(in.)]	190.0 mm x 590.0 mm x 470.0 mm (7.48 in. x 23.23 in. x 18.5 in.)
Weight without packaging [kg(lb)]	3.05 (6.72)
Weight with packaging [kg(lb)]	5.35 (11.79)
Maximum power consumption [W]	109

Figure 1 shows the appearance of LSG7X52BX1E0.



### Product Details


Figure 2 shows the indicators on the LSG7X52BX1E0.



Note:

(1)	Running status indicator
(2)	ACT indicator of the optical port
(3)	LINK indicator of the optical port
(4)	LINK/ACT indicator of the electrical port

Figure 3 shows the ports on the LSG7X52BX1E0.



Note:

(1)	16 x GE optical ports
(2)	12 x 10GE optical ports
(3)	24 x GE electrical ports

### Get More Information

Do you have any question about the LSG7X52BX1E0 (03050DMB)?

Contact us now via [info@hi-network.com](mailto:info@hi-network.com).

## Specification

LSG7X52BX1E0 Specification	
<b>Basic Information</b>	
Model	LSG7X52BX1E0
Part Number	03050DMB
Description	16-port 100M/1GBASE-X, 12-port 100M/1G/10GBASE-X, and 24-port 10/100/1000BASE-T interface card (SFP, SFP+, RJ45)
Level-1 category	Interface card
<b>Technical Specifications</b>	
Dimensions without packaging (H x W x D) [mm(in.)]	45.2 mm x 433.0 mm x 292.9 mm (1.78 in. x 17.05 in. x 11.53 in.)
Dimensions with packaging (H x W x D) [mm(in.)]	190.0 mm x 590.0 mm x 470.0 mm (7.48 in. x 23.23 in. x 18.5 in.)
Weight without packaging [kg(lb)]	3.05 (6.72)
Weight with packaging [kg(lb)]	5.35 (11.79)
Typical power consumption [W]	92
Typical heat dissipation [BTU/hour]	313.92
Maximum power consumption [W]	109
Maximum heat dissipation [BTU/hour]	371.92

## Want to Buy

Get a Quote



[Learn More](#) about Hi-Network



[Search](#) our Resource Library



[Follow](#) us on LinkedIn



Contact for [Sales or Support](#)

## Contact HI-NETWORK.COM For Global Fast Shipping

HongKong Office Tel: +00852-66181601

Skype: echo.hinetwork

HangZhou Office Tel: +0086-571-86729517

WhatsApp Business: +8618057156223

Email: [info@hi-network.com](mailto:info@hi-network.com)

