

Get a Quote

## Overview

QSFP+, 40G, High Speed Direct-attach Cables, 5m, QSFP+38M, CC8P0.32B(S), QSFP+38M, Used indoor

## Quick Specification

Table 1 shows the Quick Specification.

Model	QSFP-40G-CU5M
Part Number	02310MUJ
Description	QSFP+, 40G, High Speed Direct-attach Cables, 5m, QSFP+38M, CC8P0.32B(S), QSFP+38M, Used indoor
Connector X1	QSFP+
Connector X2	QSFP+
Cable length	5 m (16.40 ft.)
Electrical attribute	Passive
Bend radius	45 mm (1.77 in.)
Minimum Clearance for Cable Routing	75 mm (2.95 in.)

Figure 1 shows the appearance of QSFP-40G-CU5M.





## Product Details

### Compare to Similar Items

Table 2 shows the comparison of QSFP-40G-CU1M, QSFP-40G-CU3M and QSFP-40G-CU5M.

Model	<a href="#">QSFP-40G-CU1M</a>	<a href="#">QSFP-40G-CU3M</a>	QSFP-40G-CU5M
Part Number	02310MUG	02310MUH	02310MUJ
Description	QSFP+, 40G, High Speed Direct-attach Cables, 1m, QSFP+38M, CC8P0.254B(S), QSFP+38M, Used indoor	QSFP+, 40G, High Speed Direct-attach Cables, 3m, QSFP+38M, CC8P0.32B(S), QSFP+38M, Used indoor	QSFP+, 40G, High Speed Direct-attach Cables, 5m, QSFP+38M, CC8P0.40B(S), QSFP+38M, Used indoor
Connector Type	QSFP+ to QSFP+	QSFP+ to QSFP+	QSFP+ to QSFP+
Cable Length	1m (3.28ft)	3m (9.84ft)	5m (16.4ft)
Max Data Rate	40Gbps	40Gbps	40Gbps
Wire AWG	28AWG	28AWG	26AWG

### Get More Information

Do you have any question about the QSFP-40G-CU5M (02310MUJ)?

Contact us now via [info@hi-network.com](mailto:info@hi-network.com).

## Specification

QSFP-40G-CU5M Specification	
Model	QSFP-40G-CU5M
Part Number	02310MUJ
Description	QSFP+, 40G, High Speed Direct-attach Cables, 5m, QSFP+38M, CC8P0.32B(S), QSFP+38M, Used indoor
Connector Type	QSFP+ to QSFP+
Cable Type	Passive Copper Cable
Cable Length	5 m (16.40 ft.)
Temperature	0 to 70°C (32 to 158°F)
Protocols	40G InfiniBand 8x DDR, 4x QDR, 10G/40Gigabit Ethernet, Fibre Channel
Max Data Rate	40Gbps



Wire AWG	26AWG
Jacket Material	PVC(OFNR)
Pack Weight (kg)	1.34
Pack Volume (m <sup>3</sup> )	0.008

## Want to Buy

Get a Quote



[Learn More](#) about Hi-Network



[Search](#) our Resource Library



[Follow](#) us on LinkedIn



Contact for [Sales or Support](#)

## Contact HI-NETWORK.COM For Global Fast Shipping

HongKong Office Tel: +00852-66181601

HangZhou Office Tel: +0086-571-86729517

Email: [info@hi-network.com](mailto:info@hi-network.com)

Skype: echo.hinetwork

WhatsApp Business: +8618057156223